

Subject:FW: Mid Suffolk District Council Planning Applications 5070/16, 2797/16, 4963/16, 4942/16, 4386/16

From: jillian rowland

Sent: 11 July 2017 21:53

To: sajid.javid.mp@parliament.uk

Cc: BMSDC Planning Mailbox; Sarah Mansel; John Levantis; Jane Storey

Subject: Mid Suffolk District Council Planning Applications 5070/16, 2797/16, 4963/16, 4942/16, 4386/16

Dear Mr. Javid,

Thurston Parish Council have informed my Council of the above applications due to be determined by the MSDC Planning Referrals Committee on 12th July.

My Council would like to make the following observations and comments for consideration:

1. These sites will deliver approximately 830 dwellings. It is considered this will create pressure on the surrounding small village roads.
2. Although there is consideration for primary school provision, there is still likely to be an impact on our small village school which is already full, and suffers, like most schools, from traffic congestion around the school and village hall car park.
3. There will also be a large impact on Thurston Upper School.
4. The general infrastructure in and around Thurston will be stretched.
5. Medical provision both GP and Hospital will be required, as will retail outlets. With the closure of rural police stations, policing will be stretched.
6. Broadband in certain areas is very poor. Currently large sections of Norton are still unable to access fibre optic broadband.

My Council would look to be informed of the decision of these applications in due course.

Yours sincerely,

Jillian Rowland (Mrs)

Clerk to Norton Parish Council

From:Thurston Parish Council
Sent:11 Jul 2017 13:14:56 +0100
To:BMSDC Planning Area Team Yellow;Dylan Jones
Subject:RE: Planning Re-consultation Request - 4942/16

Dear Dylan,

Having considered the revised plans submitted for the above application the Parish Council has the following comments to make:

The Parish Council is concerned that the re-consultation upon which it has been asked to comment has taken such a time to appear and be sent out. The Parish Council has been informed, and can see, that the revised plans were registered on 9th May 2017 but did not appear on the planning portal until late in the afternoon on 23rd June and then only after questions and prompting from residents of the village. The Parish Council is concerned at this course of events and seeks reassurances that no further plans have been omitted from the planning portal.

With reference to the revised plans the Parish Council is concerned that

- No mitigation measures have been submitted to counter the impact the development will have on the residential amenities enjoyed by those on the west boundary
- Waste bins – there is no explanation or consideration as to how the collection system for waste bins will be handled nor is there any indication as to where will they be deposited or if there are to be one per property or a communal collection point.
- There is an issue regarding the impact of linkage roads, of houses facing Norton Road together with driveways on site entrance section of road. The concern arises from the impact on safety for all road users arising from a number of vehicles within such a confined area
- The applicant's submission refers to 2 bus stops on Norton Road – clarification is needed as to whether they are to be reinstated as currently there is only one outside of Rylands – and will they be opposite one another or be offset.
- Council noted that the document to which the MSDC Housing Enabling Officers had referred to in an email and the one that was missing from the website related to a response from the Housing Manager's original response which didn't have the right number of houses in it so it didn't add up to 35% of the scheme amount. This has now been amended and the correct report is now on the website.

Regards

Vicky

Mrs V S Waples
Clerk & Proper Officer to the Council
Thurston Parish Council
New Green Centre
Thurston
IP31 3TG

Telephone: 01359 232854
Website: www.thurston.suffolk.cloud

-----Original Message-----

From: planningyellow@baberghmidsuffolk.gov.uk [<mailto:planningyellow@baberghmidsuffolk.gov.uk>]

Sent: 27 June 2017 15:05

To: Thurston Parish Council <info@thurstonparishcouncil.gov.uk>

Subject: Planning Re-consultation Request - 4942/16

Please find attached planning re-consultation request letter relating to planning application - 4942/16 -
Land At Meadow Lane, Thurston IP31 3QG, ,

Kind Regards

Planning Support Team

Emails sent to and from this organisation will be monitored in accordance with the law to ensure compliance with policies and to minimize any security risks. The information contained in this email or any of its attachments may be privileged or confidential and is intended for the exclusive use of the addressee. Any unauthorised use may be unlawful. If you receive this email by mistake, please advise the sender immediately by using the reply facility in your email software. Opinions, conclusions and other information in this email that do not relate to the official business of Babergh District Council and/or Mid Suffolk District Council shall be understood as neither given nor endorsed by Babergh District Council and/or Mid Suffolk District Council.

From: Dylan Jones
Sent: 29 August 2017 15:19
To: BMSDC Planning Area Team Yellow
Subject: FW: Thurston Development

Can the e-mail below be ldoxed in all of the cases listed in it and also for case 5010/16 which is not listed in there.

Thanks.

Dylan Jones

From: Wilson Hannah [<mailto:hWilson4@anglianwater.co.uk>]
Sent: 21 August 2017 14:06
To: Dylan Jones <Dylan.Jones@baberghmidsuffolk.gov.uk>; 'grahamdixon10@gmail.com' <grahamdixon10@gmail.com>
Subject: Thurston Development

Dear Dylan Jones and Graham Dixon

Our Pre Development engineer has undertaken an assessment of the cumulative impact of all the following proposed developments in Thurston:

2797/16 – 175 dwellings

4386/16 – 138 dwellings

4942/16 - 64 dwellings

4963/16 – 250 dwellings


5070/16 - 200 dwellings

Whilst they will increase the flow in the network, they will not cumulatively cause an unacceptable risk of flooding as the connection points are spread over more than one specific sewer run.

I hope this helps.

Kind regards,
Hannah Wilson
Pre-Development Planning Manager

Developer Services
Anglian Water Services Limited
Tel Office: 0345 0265 458


Thorpe wood House, Thorpe Wood, Peterborough, PE3 6WT
www.anglianwater.co.uk



-----*-----*-----*-----*-----*-----*-----*-----*-----*-----

The information contained in this message is likely to be confidential and may be legally privileged. The dissemination, distribution, copying or disclosure of this message, or its contents, is strictly prohibited unless authorised by Anglian Water. It is intended only for the person named as addressee.

Anglian Water cannot accept any responsibility for the accuracy or completeness of this message, and does not authorise any contract to be made using the Internet.

If you have received this message in error, please immediately return it to the sender at the above address and delete it from your computer.

Anglian Water Services Limited

Registered Office: Lancaster House, Lancaster Way, Ermine Business Park, Huntingdon, Cambridgeshire, PE29 6XU

Registered in England No 2366656

Please consider the environment before printing this email.

Our Ref: 570/CON/Thurston
Date: 13th September 2017
Enquiries to: Steve Merry
Tel: 01473 341497
Email: steven.merry@suffolk.gov.uk

The Planning Officer
Mid Suffolk District Council
Council Offices
131 High Street
Ipswich
Suffolk
IP6 8DL

For the Attention of: Dylan Jones

Dear Dylan

Thurston Cumulative Development: Network Rail Proposals

LOCATION: Thurston, Suffolk

As part of the ongoing study of the cumulative impact of the proposed developments in Thurston Suffolk County Council (SCC), as a statutory consultee for Highways, wishes to record the following comments on the consultation response and supporting feasibility study relating to the crossing at Thurston Station provided by Network Rail.

SCC strongly supports improvements to the safe provision of sustainable and public transport and recognises Network Rail's concerns about the safety of the pedestrian rail crossing. However, there are several issues that affect the public highway which would require resolution to produce a scheme acceptable to SCC. We would encourage further dialog with Network Rail to resolve these issues.

The highway issues identified are:

- Widening the footway under the bridge as proposed will push vehicles using Barton Road to the west. As the bridge is an arched structure this may reduce the available headroom and the increase risk of bridge strikes. If this necessitates a lowering of the existing height this will affect the of the highway by large vehicles, possibly diverting them onto other less suitable routes. It is acknowledged that reducing the road to a single lane would have the advantage or removing the risk of high sided vehicles trying to pass each other under the bridge which it is understood already results in bridge strikes.
- Signalisation of the junctions adjacent to the rail bridge is likely to reduce road capacity increasing congestion. We would look for Network Rail to undertake a Transport Assessment to measure this. The scope of the Transport Assessment will need to be agreed with SCC in advance. Preliminary studies by SCC are that the junctions within the mitigation area have the capacity to accommodate the proposed developments but that this is based on the existing unimpeded network.
- The design indicates visibility to signal heads one step down from DMRB. A Road Safety Audit will be required to ensure that the proposed layout is safe.
- The modifications to the highway require third party land not under control of Network Rail or SCC. Clarity of how this land is to be brought into the control of Network Rail or SCC is vital to show that these proposals are deliverable.

- The pick-up area is close to the junction and SCC has concerns that these may cause safety issues such as conflicts between vehicles leaving this area and through traffic
- Details of the footway will need to be provided to conclude a S278 agreement. SCC would expect street lighting to be provided for the new footway.

It is noted by SCC that alternative methods have been used to mitigate pedestrian safety concerns elsewhere in Suffolk, for example the gated crossing at Halesworth Station. We would encourage similar innovative solutions for Thurston.

Yours sincerely,

Steve Merry
Transport Policy and Development Manger
Resource Management

Our Ref: 5070/16, 4942/16, 2797/16, 5010/16, 4386/16 & 4963/16

Date: 12th October 2017

Enquiries to: Steve Merry

Tel: 01473 341497

Email: steven.merry@suffolk.gov.uk

The Planning Officer
Mid Suffolk District Council
Council Offices
131 High Street
Ipswich
Suffolk
IP6 8DL

For the Attention of: Ben Elvin

Dear Ben

Cumulative Development in Thurston

This letter updates Suffolk County Council's position as the Highways Authority on the five planning applications that were presented to the Mid Suffolk District Council Planning Committee on the 12th July 2017.

Of the five applications four were granted minded to approve and one minded to not approve decisions by the Planning Committee. The main reason for the minded to decisions was the committee's requirement for further transport studies to be undertaken to demonstrate that the cumulative development did not create a severe impact on the highway network.

Suffolk County Council, as Highways Authority commissioned AECOM to undertake further studies. The additional study formed two parts

- Investigation of the proposed mitigation at the A143 Bury Road / Thurston Road 'Bundbury Arms' junction to determine if the proposed scheme is deliverable and can deliver the necessary additional capacity
- To add further detail to the study of individual junctions and roads within the village of Thurston.

The collaborative partnership between the Applicants, Mid Suffolk District Council and Suffolk County Council that was developed during the planning process was continued with all parties contributing to the cost of this independent study.

A143 Bury Road / C691 Thurston Road/ C649 Brand Road

The main issue at this junction indicated by early studies was the lack of capacity. Queueing occurs on Thurston Road approaching the A143 in the morning and on the A143 in the evening due to vehicles from Bury St Edmunds turning into Thurston Road. The proposed mitigation is to introduce right hand turn lanes with traffic signals to control the junction.

Drawing ref 60445024-SKCC_004-A (Fig 1 below) shows the indicative layout. A reduction in vehicle speeds is required due to the narrow lanes which in turn are restricted by the available highway land. During the detailed design, every effort will be made to increase the width of the lanes although the requirement for the reduced speed limit will remain




Fig 1: AECOM Drawing ref: 60445024-SKCC_004-A

			Base + growth (2021)		Base + growth + 827 dev (2021)		Base + growth + 629 dev (2021)	
Dwellings considered (year)			0		827		689	
Ref	Junction		AM	PM	AM	PM	AM	PM
1	A143 Bury Road / C691 Thurston Road/ C649 Brand Road	4 way priority			158	170		
1a	A143 Bury Road / C691 Thurston Road/ C649 Brand Road	4 way signalised junction (DoS)	92%	80%	97%	85%	98%	87%

Fig 2: A143/ Thurston Road Junction capacity

Without any highway improvements and with the proposed development the junction will be operating at considerable over capacity. Junction modelling indicates that the proposed traffic signal option will increase capacity although with the proposed development the junction will be close to the theoretical capacity in 2021.

As part of the study a Road Safety Audit was undertaken. Although this has raised a number of design issues it is considered that these can be addressed during the design process.

Transport study of roads in Thurston

The AECOM technical note 60445024 'Thurston Cumulative Impact Assessment Part 2' summarises the traffic impact of the development in terms of

- 2017 base
- 2021 baseline traffic (ie growth but no development)
- 2021 baseline traffic (including growth) plus 689 dwellings (four minded to developments)
- 2021 baseline traffic (including growth) plus 827 dwellings (all five developments)

Table 10 in the report summarised the junction data and this is replicated as Fig 3:

- Red: Over capacity (above 1 RFC)
- Orange: Operating close to capacity (above 0.85 RFC)
- Green: Operating under capacity (below 0.85 RFC)

Table 10: Summary of Junction Capacity Assessments 2021 scenarios

Junction	AM Peak Max RFC				PM Peak Max RFC			
	2017 Base	2021 Base	2021 with Dev (689)	2021 with Dev (827)	2017 Base	2021 Base	2021 with Dev (689)	2021 with Dev (827)
C691 Barton Road / C562 Station Hill Three Arm Mini Roundabout	0.46	0.47	0.65	0.69	0.58	0.60	0.72	0.78
C560 Beyton Road / C692 Thurston Road / U4920 Thedwastre Road Crossroads (Pokeridge Corner)	0.52	0.54	0.84	0.86	0.45	0.46	0.56	0.58
C693 Thurston Road / C692 Thurston Road Crossroads Fishwick Corner	0.88	0.91	1.10	1.21	0.45	0.46	0.57	0.60
C559 Norton Road / C562 Ixworth Road / C562 Station Hill staggered Crossroads	0.32	0.33	0.55	0.55	0.21	0.21	0.35	0.35
C691 Barton Road / C559 Norton Road 'T' Junction	0.35	0.36	0.48	0.50	0.16	0.17	0.22	0.22

Fig 3: Summary of Junction Capacities

The C560 Beyton Road / C692 Thurston Road / U4920 Thedwastre Road (Pokeridge Corner) junction with full development is close to capacity in 2021. This results in a maximum queue length of 5 vehicles in the am peak. This is not considered to be severe impact.

The C692 / C693 Thurston Road (Fishwick Corner) junction is operating close to capacity in 2017 and 2021 without any development. With either studied scale of development the junction will be operating significantly over capacity in the morning peak with queues of 40 (689 dwellings) and 54 (829 dwellings) vehicles. This degree of congestion caused concern to the Highways Authority and further work was undertaken to identify any potential mitigation to reduce this (see below).

The C691 Barton Road under the railway bridge is operating above capacity in the am peak. No mitigation has been identified that may alleviate this. There is a degree of uncertainty in the calculation of theoretical capacity as future growth may vary from current assumptions. For example, robust travel plans may encourage modal shift away from car use thus reducing demand. The link is very short (@50m) and the duration of any congestion is likely to be short lived being restricted to the morning peak. Under these circumstances it is considered that the localised congestion is not considered to represent a severe impact by the Highways Authority.

C692 / C693 Fishwick Corner: Mitigation Measures

As this junction was shown by the initial study to be operating over-capacity the Applicants were challenged to suggest possible mitigation measures. Following these discussions, a proposed scheme to change the priorities at the junction was selected for further study. This change provides two benefits

- An increase in capacity by prioritising those arms of the junction with the heaviest traffic
- By reducing speeds and providing stop lines rather than give way road safety can be improved.




Fig 4: Proposed modified junction layout AECOM drawing 60445024-SKE-C-008-A

To confirm that these assumptions are correct indicative drawings have been prepared to make sure large vehicles can use the revised junction. In addition, modelling has been undertaken to confirm that the capacity can be improved and a road safety audit to identify any safety concerns. The modelling shown in Fig 5 shows that the capacity can be increased

			Base (2017)		Base + growth (2021)		Base + growth + 827 dev (2021)		Base + growth + 629 dev (2021)	
			0		0		827		689	
Dwellings considered (year)			AM	PM	AM	PM	AM	PM	AM	PM
5	C693 Thurston Road / C692 Thurston Road	4 way priority. (Fishwick Corner)	0.88	0.45	0.91	0.45	0.71	0.60	1.15	0.57
5a	C693 Thurston Road / C692 Thurston Road	Revised 4 way priority. (Fishwick Corner)	0.67	0.83	0.69	0.83	0.80	0.92	0.82	0.93

Fig 5: Modelling data for Fishwick Corner

The road safety audit identified vegetation and vehicle speeds as two potential issues. The designers' response considers that both can be addressed during the detailed design process.

Future Development

The studies show that the proposed five developments can be accommodated by the existing highway network with appropriate mitigation. While capacity is one factor considered when assessing if the impacts of development are severe as required in the National Planning Policy Framework it is not the only factor. Road safety and sustainability are also considered.

Any future development in Thurston must, in the Highway Authorities opinion, address the following constraints;

- No further capacity can be provided at the A143 Bury Road / Thurston junction within the existing highway boundary for traffic traveling to / from the Thurston area.
- The C692 / C693 Thurston Road (Fishwick Corner) cannot be improved further in terms of either road safety or capacity due to the highway boundary constraints.
- Any significant future development is likely result in the C560 Beyton Road / C692 Thurston Road / U4920 Thedwastre Road (Pokeridge Corner) junction reaching its theoretical capacity. This work has not investigated the potential for mitigation but the site has similar highway boundary constraints as the other junctions.
- The C291 Barton Road under the rail bridge is at capacity and without mitigation this may restrict future development in the area. Monitoring of traffic generated by the proposed developments will be important in assessing the actual compared to theoretical impact of the additional traffic.

As Highways Authority Suffolk County Council recommends that future Local Plans recognise these constraints and that the planning process is used to seek opportunities to remove these.

Yours sincerely

Name **Steve Merry**
Job Title **Transport Policy and Development Manager**
Directorate Resource Management